



LED LIGHTING


HOME RANGE

09/2015

 **Verbatim**
Technology you can trust

THE KAITEKI COMPANY Mitsubishi Chemical Holdings Group

	Product Number	Actual Wattage (W)	Equivalent Wattage W)	Luminous flux (lm)	Luminous efficacy (lm/W)	Beam angle (°)	CCT (K)	Power Factor	Lifetime (hours)	Dimmable	Energy Efficiency Class
Classic A		Socket: E27		Voltage: 220-240V		CRI*: ≥80					
	52600	6.0	40	480	80	220	2700	≥0.52	20,000	No	A+
	52601	9.0	60	810	90		2700				
	52626	9.0	63	850	94.4		4000				
Classic A		Socket: B22		Voltage: 220-240V		CRI*: ≥80					
	52619	6.0	40	480	80	220	2700	≥0.52	20,000	No	A+
	52612	9.0	60	810	90						
Candle Classic B		Socket: E14		Voltage: 220 - 240V		CRI*: ≥80					
	52602	4.5	31	350	77.8	160	2700	≥0.40	20,000	No	A+
	52603	4.5	25	250	55.6	130	2700	≥0.40	20,000	No	A+
	52604	5.5	30	330	60	120		≥0.50	15,000		
Candle Classic B		Socket: B22		Voltage: 220 - 240V		CRI*: ≥80					
	52623	4.5	25	250	55.6	130	2700	≥0.45	20,000	No	A+
Mini Globe		Socket: E14		Voltage: 220-240V		CRI*: ≥80					
	52615	3.5	25	250	71.4	150	2700	≥0.40	20,000	No	A+
	52617	4.5	25	250	55.6	160	2700	≥0.50	20,000	No	A+
	52605	5.5	30	330	60	120		≥0.50	15,000		
Mini Globe		Socket: E27		Voltage: 220-240V		CRI*: ≥80					
	52614	3.5	25	250	71.4	150	2700	≥0.40	20,000	No	A+
	52616	4.5	25	250	55.6	160	2700	≥0.50	20,000	No	A+
	52606	5.5	30	330	60	120		≥0.50	15,000		
Globe		Socket: E27		Voltage: 220-240V		CRI*: ≥80					
	52610	7.0	40	470	67.1	220	2700	≥0.80	20,000	Yes	A+
	52611	10.0	60	810	81			≥0.85			

	Product Number	Actual Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone**(lm)	Luminous efficacy (lm/W)	Luminous intensity (cd)	Beam angle (°)	CCT (K)	Power Factor	Lifetime (hours)	Dimmable	Energy Efficiency Class
PAR16		Socket: GU10			Voltage: 220-240V			CRI*: ≥80					
	52607	4.0	38	250	250	62.5	650	35	2700	≥0.40	20,000	No	A+
	52608	5.0	51	350	350	70	750						
MR16		Socket: GU5.3			Voltage: 12V AC/DC			CRI*: ≥80					
	52618	4.5	20	250	210	55.6	650	35	2700	≥0.50	20,000	No	A
	52609	5.5	35	350	350	63.6	750						A+
PAR30		Socket: E27			Voltage: 220-240V			CRI*: ≥80					
	52624	12.0	85	800	720	66.7	2200	35	2700	≥0.90	20,000	No	A
PAR38		Socket: E27			Voltage: 220-240V			CRI*: ≥80					
	52625	15.0	116	1050	1000	70	3000	35	2700	≥0.90	20,000	No	A
	Product Number	Actual Wattage (W)	Equivalent Wattage W)	Luminous flux (lm)	Luminous efficacy (lm/W)	Beam angle (°)	CCT (K)	Power Factor	Lifetime (hours)	Dimmable	Energy Efficiency Class		
Bi Pin		Socket: G4			Voltage: 12V AC/DC			CRI*: ≥80					
	52143	1.0	10	80	80	100	2700	-	25,000	No	A++		
	52145	1.5	10	85	57	110	2700	-	40,000	No	A+		
	52620	2.3	17	160	70	150	2700	-	40,000	No	A+		
Bi Pin		Socket: G9			Voltage: 220-240V			CRI*: ≥80					
	52622	2.0	17	160	74	100	2700	≥0.35	20,000	No	A++		
R7s		Socket: R7s			Voltage: 220-240V			CRI*: ≥80					
	52621	8.5	50	650	80	110	3000	≥0.52	20,000	No	A+		

* CRI Colour Rendering Index

** EU Regulation 1194, 2012 Eco Design Requirements state that only luminous flux within a 90° cone is used for the calculation of directional lamps lumen output. Light within the 90° cone is called functional or useful light, any light outside this cone is not considered useful in directional lighting.

Verbatim - Baumärkte & Einzelhandel

Max Walk & Willy Lehmann GmbH

Rugenbarg 43, 22848 Norderstedt

Deutschland

T: +49 (0) 40 52 30 40

F: +49 (0) 40 52 30 40 112

E: info@walklehmann.com

Aussendienst - Baumärkte

Frau Klaudia Schmidt

M: +49 (0) 157 515 48 400

Herr Dieter Hein

M: +49 (0) 171 784 16 47

T: +49 (0) 32121365913

E: hein.kg@heinkg.de



www.verbatis.com

• EUROPE/ MIDDLE EAST/ AFRICA: Verbatim Ltd, Prestige House,
23 - 26 High Street, Egham, Surrey, TW20 9DU, UK
• AMERICAS: USA Verbatim Americas LLC, Charlotte, NC
• AUSTRALIA/ NEW ZEALAND: Verbatim Australia Pty Ltd,
Unit 6, 450 Princes Highway, Noble Park, Victoria, 3174 Australia
Tel: +61 3 9790 8999 Fax: +61 3 9790 8955 Email: support@verbatis.com.au

68781-110/GB/6100/0915

銷售公司：香港威寶有限公司

公司地址：香港九龍尖沙咀東部加連威老道92號幸福中心1101-02室

銷售公司：台灣威寶國際貿易股份有限公司

公司地址：臺北市基隆路二段166號4樓

聯絡電話：02-23771698

銷售公司：威寶國際貿易(深圳)有限公司

公司地址：深圳市福田区泰然九路海松大廈A座1105室

"VERBATIM" and  logo are the trademarks of Mitsubishi Kagaku Media Co., Ltd. registered in EU and other countries.